

# **C.R. LAURENCE**

## **Installation Instructions**

### **NON-RICOCHET BULLET RESISTANT DEAL TRAY (DROP IN MODELS)**

#### **MOUNTING USING CLEAR SILICONE SEALANT**

1. Cut hole in counter using appropriate cutout size from drawing.
2. Apply one strip of Catalog No. 3M6818 1" Blue Securing Tape, or equivalent, to the top perimeter surface of the tray. Make sure the tape follows edge of tray with no overlap. This protects the top surface of tray.
3. Place tray in hole and seat into the desired position used for final installation.
4. Apply one strip of Catalog No. 3M6818 1" Blue Securing Tape, or equivalent, to the counter top around the perimeter of tray. Make sure edge of tape meets but does not overlap tape applied to lip of tray. This protects the top surface of counter.
5. Remove tray from hole. Apply 1/4" bead of Catalog No. 33SC Clear Silicone, or equivalent, to underside of tray lip around perimeter of tray.
6. Replace tray in hole and seat into position. Some clear silicone may squeeze out onto blue tape surrounding the lip of the tray. Do not clean or wipe uncured sealant away.
7. After silicone has fully cured, use a razor blade and cut around entire perimeter of tray any silicone that may have squeezed out. Peel away cured excess silicone and tape.


#### **MOUNTING USING MECHANICAL FASTENERS**

1. For appearance purposes tray lips are not pre-drilled to accept screws. Trays may be mounted to counter surface with screws by drilling pilot holes in tray lip as necessary.

# C.R. LAURENCE


## Installation Instructions

### NON-RICOCHET BULLET RESISTANT DEAL TRAY (DROP IN MODEL)




**LEVEL 1  
PROTECTION**

Cat. No. BRT112




Cat. No. BRT116




**LEVEL 3  
PROTECTION**

Cat. No. BRT312




Cat. No. BRT316


BRT112 CUTOUT SIZE:




BRT116 CUTOUT SIZE:



BRT312 CUTOUT SIZE:




BRT316 CUTOUT SIZE:




(SEE BACK OF PAGE FOR INSTALLATION INSTRUCTIONS)

# Deluxe Deal Trays

- Deep Dish Section for Passing Larger Items
- Flush Drop In Design
- Heavy Gauge Stainless Steel




The Deluxe Deal Tray is formed from heavy gauge stainless steel with a brushed finish that is resistant to nicks and scratches. Front and rear lips project 2-7/8" from the dish portion to provide protection for the counter top. Three widths up to 24" wide are available to accommodate a variety of installations. The 2-3/8" deep dish section allows larger items to be passed between clerk/cashier and the customer. The flush drop in design means that only a simple rectangular recess needs to be cut into the counter top, so installation is not complicated. In addition, custom size Deluxe Trays can be fabricated to meet the requirements of any installation.




CAT. NO.	WIDTH	DEPTH	HEIGHT
T12SS	12"	14 1/4"	2 3/8"
T18SS	18"	14 1/4"	2 3/8"
T24SS	24"	14 1/4"	2 3/8"

**SPECIFICATIONS:**  
**MATERIAL:** Stainless Steel  
**FINISH:** Polished Stainless Steel  
**INSTRUCTIONS INCLUDED**




# Non-Ricochet Bullet Resistant Deal Trays — Drop In Model

- Inner, Curved Design Provides Effective Bullet Resistance
- Level 1 or Level 3 Protection Offered



Non-Ricochet Bullet Resistant Deal Trays have a specially shaped inner curved design that will provide more effective bullet resistance. The shape assists in retaining the bullet inside the tray or directing it back towards the glass above, depending upon the angle of entry. These easy to install trays are available as Level 1 Ballistic MPSA or Level 3 Ballistic SPSA. Constructed of brushed stainless steel. Two sizes of each level are available.




CAT. NO.	PROTECTION LEVEL	WIDTH	DEPTH	HEIGHT
BRT112	1	12"	11"	1 3/4"
BRT116	1	16"	11"	1 3/4"
BRT312	3	12"	12"	2"
BRT316	3	16"	12"	2"


## SPECIFICATIONS:

**MATERIAL:** Stainless Steel  
**FINISH:** Brushed Stainless Steel  
**BULLET RESISTANCE:** Level 1 - BRT112 and BRT116 models; Level 3 - BRT312 and BRT316 models  
**INSTRUCTIONS INCLUDED**

## PROTECTION LEVEL



**BRT112 and BRT116**



**BRT312 and BRT316**

Side View

